

CONDUCTIVE FINGER STRIPS

CFS Shielding

Our Conductive Finger Strips are available in a wide range of profiles, a choice of two materials and six finishes. There is also a choice of a conductive self-adhesive fixing or clip on.

They have a low closing force and do not take a compression set. They have long service life with good corrosion resistance.

How to order:

Specify: *Series - Style Number - Length - Finish - Plating*

Examples:







CFS-0645-406mm-S/A-Bd is contact finger strip, style 0645, 406mm long, beryllium copper with self-adhesive, bright finish

CFS-0697-7.6M-S/A-Ni is contact finger strip, style 0697, 7.6 metres long, beryllium copper with self-adhesive, nickel plated

CFS-0636SS-406mm-S/A is contact finger strip, style 0636SS, 406mm long, stainless steel with self-adhesive.



SERIES	STYLE	LENGTH	FINISH	PLATING
CFS	See drawings	xxxx	S/A=Self-Adhesive N/A=No Adhesive	Bd=Bright Finish Sn=Bright Tin Ni=Bright Nickel Ag=Silver Au=Gold
* Plating is not available on stainless steel				




Nolato PPT
Unit 12 Maldon Trade park
The Causeway, Maldon
CM9 4LJ

T: +44 (0)1376 550 525
W: www.p-p-t.co.uk
E: sales.ppt@nolato.com

CONDUCTIVE FINGER STRIPS

CFS Shielding


CFS 0647



material: beryllium copper

all dimensions are in mm


CFS 0649



material: beryllium copper

all dimensions are in mm


CFS 0621



material: beryllium copper

all dimensions are in mm


CFS 0650



material: beryllium copper

all dimensions are in mm


CFS 0651



material: beryllium copper

all dimensions are in mm


CFS 0654



material: beryllium copper

all dimensions are in mm


CFS 0657



material: beryllium copper

all dimensions are in mm


CFS 0658



material: beryllium copper

all dimensions are in mm


CFS 0699



material: beryllium copper

all dimensions are in mm


CFS 0625



material: beryllium copper

all dimensions are in mm


CFS 0625 90



material: beryllium copper

all dimensions are in mm

CFS 0697













material: beryllium copper

all dimensions are in mm











CONDUCTIVE FINGER STRIPS

CFS Shielding













CONDUCTIVE FINGER STRIPS

CFS Shielding













CONDUCTIVE FINGER STRIPS

CFS Shielding



CONDUCTIVE FINGER STRIPS

CFS Shielding



CONDUCTIVE FINGER STRIPS

CFS Shielding

